

# CONTENTS — VOLUME 14

## Number 1

### Review

Acute monoblastic leukemia: a unique subtype—a review from the Childrens Cancer Study Group

Expression of the multidrug resistance gene in myeloid leukemias

CD7<sup>+</sup> acute non-lymphocytic leukemia: evidence for an early multipotential progenitor

M-CSF and M-CSF-receptor gene expression in acute myelomonocytic leukemias

Thymidine kinase in human leukemia—expression of three isoenzyme variants in six patients with chronic myelocytic leukemia

Expression of CD23 antigen and its regulation by IL-4 in chronic lymphocytic leukemia

Hyperprolactinemia in acute myeloid leukemia and indication of ectopic expression of human prolactin in blast cells of a patient of subtype M4

Stimulation of myeloid colony development elaborated by colony forming cells—fibroblasts from rat developing ossicles

Immunoreactivity of anti K562 monoclonal antibodies with leukemic cells of myeloid lineage

Lack of correlation between immunoglobulin and T cell receptor gene rearrangements and TdT expression in acute myeloid leukaemia

Bone marrow cultures and prognosis in primary myelodysplastic syndromes

DNA strand breaks in human leukocytes induced by chemotherapy and total body irradiation

*De novo* Ph negative T-cell lymphoblastic leukaemia associated with bcr gene rearrangement

- 1 L. F. Odom, B. C. Lampkin, R. Tannous, J. D. Buckley and G. D. Hammond
- 11 H. Sato, M. M. Gottesman, L. J. Goldstein, I. Pastan, A. M. Block, A. A. Sandberg and H. D. Preisler
- 23 M. M. Zutter, P. J. Martin, D. Hanke and P. G. Kidd
- 27 M. R. Parwaresch, H. Kreipe, J. Felgner, K. Heidom, K. Jaquet, S. Bödewadt-Radzun and H. J. Radzun
- 39 B. Munch-Petersen
- 47 M. Sarfati, S. Fournier, M. Christoffersen and G. Biron
- 57 S. J. Hatfill, R. Kirby, M. Hanley, E. Rybicki and L. Böhm
- 63 I. Bleiberg
- 69 S. V. Chiplunkar, H. S. Maniar, R. J. Tatake, K. M. Amin, S. H. Advani and S. G. Gangal
- 77 G. Davey, K. F. Bradstock, R. F. Kefford, Y. Wishart, A. Kabral, P. Grimsley and W. G. Hughes
- 85 M. Korthout, R. De Bock, D. van Bockstaele and M. Peetermans
- 91 C. Franssen, P. Boekema, T. De Witte, J. Wessels, A. Van der Kogel and C. Haanen
- 99 P. G. Middleton, E. V. Davison, M. M. Reid and S. J. Proctor
- 105 Announcement
- 107 Erratum

## Number 2

Triple combination of retinoic acid + 6-thioguanine + hexamethylene bisacetamide induces differentiation of human AML blasts in primary culture

Distribution of VIM-2 and SSEA-1 glycoconjugate epitopes among human leukocytes and leukemia cells

Rearrangement of the T-cell receptor alpha, beta and gamma chain genes in chronic lymphocytic leukemia

Presence of an activity indispensable for the granulocyte/macrophage colony-stimulating activity of interleukin 3 in bovine serum albumin

Clinical characteristics of hybrid leukemia: report of five cases

T cells and CD45R expression in B-chronic lymphocytic leukemia

- 109 Hassan Tawhid and J. Rees
- 119 B. A. Macher and J. H. Beckstead
- 131 A. Perl, J. P. Di Vincenzo, D. H. Ryan, P. Gergely, A. Szigeti, J. Feher and G. N. Abraham
- 139 K. Sugimoto, J. Fujita, M. Miyashita, K. Aramaki, T. Tamaki and K. J. Mori
- 145 K. Akashi, M. Harada, T. Shibuya, E. Morioka, T. Okamura, Y. Asano, S. Taniguchi, T. Teshima, M. Kikuchi and Y. Niho
- 155 P. G. Briggs, N. Kraft and R. C. Atkins

Treatment of myelodysplastic syndrome and atypical leukemia with low-dose aclarubicin

Philadelphia chromosome-negative acute hematopoietic malignancy: ultrastructural, cytochemical and immunocytochemical evidence of mast cell and basophil differentiation

Establishment from an adult leukemic patient of two novel precursor B cell lines with different growth modality

Cytosine arabinoside does not cause differentiation *in vitro* of CFU-GM in marrow from normal, myelodysplastic or ANLL subjects

Genetic heterogeneity in blast crisis of chronic myelocytic leukemia

#### Book Review

*A Guide to Bone Marrow Transplantation* by H.-J. Deeg, H. G. Klingemann and G. L. Phillips

161 T. Shibuya, T. Teshima, M. Harada, S. Taniguchi, T. Okamura, S.-I. Okamura and Y. Niho

169 J. Mezger, W. Permanetter, H. Gerhartz, R. Bartl, M. Bauchinger, H. Schmetzer and H. Sauer

177 C. Tarella, P. Pregno, E. Gallo, D. Caracciolo, S. Stefani, C. Barletta, L. Lanfranccone and D. Ferrero

185 M. A. Smith, P. C. Taylor and J. G. Smith

195 T. Ikeda, K. Kita, H. Miwa, K. Kawakami, H. Anazawa, T. Ohno, T. Nosaka, M. Hatanaka, T. Honjo and S. Shirakawa

203 L. Stenke

205 Announcements

### Number 3

#### Editorial

Do different therapies of AML produce different outcomes?

Preferential uptake of benzoporphyrin derivative by leukemic versus normal cells

Dexamethasone decreases membrane fluidity of leukemia cells

*In vitro* growth response to G-CSF and GM-CSF by bone marrow cells of patients with acute myeloid leukemia

Analysis of *bcr* rearrangements in primary (essential) thrombocythaemia

Clonal growth of haemopoietic progenitor cells from myelodysplastic marrow in response to recombinant haemopoietins

Prognostic factors of myelodysplastic syndromes—a simplified 3-D scoring system

Human B lymphocytes express the p75 component of the interleukin 2 receptor

Polyadenylic acid polymerase activity in chronic myelogenous leukemia

Pure red cell aplasia associated with B cell lymphoma: demonstration of bone marrow colony inhibition by serum immunoglobulin

Proliferation and differentiation of erythroleukemia cell line (ELM-I-1) in response to erythropoietin and interleukin 3

#### Letter to the Editors

Changes in leukemia cell membrane fluidity induced by growth-restrictive and permissive culture conditions

207 R. P. Gale and M. L. Lee

209 C. H. M. Jamieson, W. N. McDonald and J. G. Levy

221 C. Kiss, M. Balázs and I. Kéri-Fülöp

227 I. Jinnai

241 H. Tesch, R. Zankovich, C. Fonatsch and V. Diehl

247 P. Baines, D. Bowen and A. Jacobs

255 J.-E. Goasguen, R. Garand, M. Bizet, J.-L. Bremond, J. Gardais, M. P. Callat, F. Accard and J. Chaperon

263 C. G. Begley, J. D. Burton, M. Tsudo, B. H. Brownstein, J. L. Ambrus, Jr and T. A. Waldmann

273 R. Sasaki, J. Minowada, F. J. Bollum and Y. Miura

279 R. Alter, S. S. Joshi, J. D. Verdirame and D. D. Weisenburger

287 M. Shiozaki, K. Itoh and K. J. Mori

293 C. Kiss and M. Balázs

## Number 4

### Editorial

Ph-chromosome positive acute leukemias and acute phase CML: one or two diseases? Two

Changing patterns of radiosensitivity of hematopoietic progenitors from chronically irradiated dogs prone either to aplastic anemia or to myeloproliferative disease

Characterization of two newly established EBV-containing lymphoblastoid cell lines from patients with myeloid leukemias

Acute myelofibrosis: response to recombinant human interferon alpha-2a

Prognostic significance of glucocorticoid receptor determination in patients with chronic lymphocytic leukemia and immunocytoma—lack of a positive correlation between receptor levels and clinical responsiveness

$\alpha$ -L-Fucosidase isoenzyme pattern in hairy cell leukaemia

Phenotypic and genotypic analysis of large-cell lymphomas, formerly classified as true histiocytic lymphoma: identification of an unusual group of tumors

Changing response of clonogenic myeloid leukemia blasts to granulocyte-macrophage colony-stimulating factor (GM-CSF) during anti-leukemic therapy—a case report on the basis of a clinical phase II trial

Phorbol myristate acetate induces both high affinity and low affinity interleukin 2-receptors on a pre-B leukemic cell line

Deoxycytidine kinase, thymidine kinase and cytidine deaminase and the formation of ARA-CTP in leukemic cells in different phases of the cell cycle

Cell type dependent activation of poly (ADP-ribose) synthesis following treatment with etoposide

Susceptibility of acute myeloid leukemia (AML) cells from clinically resistant and sensitive patients to daunomycin (DNR): assessment *in vitro* after stimulation with colony stimulating factors (CSFs)

Establishment of a karyotypically normal B-chronic lymphocytic leukemia cell line; evidence of leukemic origin by immunoglobulin gene rearrangement

### Concise Report

Effects of a phorbol ester on activation and immortalization of leukaemic B cells by Epstein-Barr virus

295 R. P. Gale and A. Butturini

299 T. M. Seed and L. V. Kaspar

309 Yu-Sun Chang, Lee-Yung Shih, Chen-Lee Peng, Shih-Hsiung Chen and Shih-Tung Liu

321 A. F. List, T. D. Kummet and D. M. Kerr

327 C. Weiss, A. D. Ho, E. Hiller, E. Thiel, R. Schlag, T. Lipp, R. Herrmann, E. Musch, B. Termander and W. Hunstein

333 L. Roger, T. Alliot, M. Arock, M.-A. Bernard, F. Percheron and M.-J. Foglietti

337 P. van der Valk, J. W. van Oostveen, H. V. Stel, T. H. van der Kwast, C. J. M. Melief and C. J. L. M. Meijer

347 W. Hiddemann, M. Zühlendorf, B. Wörmann, M. Koenigsmann and T. Büchner

353 M. Allouche, V. Georgoulas, Y. Augery-Bourget, Y. Sahraoui, A. Tsapis, M. Perraki, C. Clemenceau, V. Choulakis and C. Jasmin

363 D. J. Richel, L. P. Colly, M. W. Arentsen-Honders, C. W. J. Starrenburg and R. Willemze

371 M. Kubota, A. Tanizawa, H. Hashimoto, T. Shimizu, T. Takimoto, T. Kitoh, Y. Akiyama and H. Mikawa

377 V. Santini, K. Nooter, R. Delwel and B. Löwenberg

381 D. Saltman, N. S. Bansal, F. M. Ross, J. A. Ross, G. Turner and K. Guy

389 E. V. Walls and D. H. Crawford

393 Announcement

## Number 5

### Review

The potential use of thalidomide in the therapy of graft-versus-host-disease—a review of clinical and laboratory information

395 P. M. D. Wood and S. J. Proctor

Effects of calcium antagonists on anti-cancer drug toxicity to haematopoietic progenitor cells in normal human bone marrow

401 T. Nakarai and S. Koizumi

Comparative activities of rabbit complements of different ages using an in-vitro marrow purging model

Expression of p53 protein during the cell cycle measured by flow cytometry in human leukemia

p75<sup>c-myb</sup> expression in leukemia-lymphoma cells correlated with proliferation and differentiation

The in-vitro response of CD2-positive acute myelogenous leukemia to proliferation and differentiation inducing agents

Immunoreactive lactoferrin in resting, activated, and neoplastic lymphocytes

Fibronectin concentration in cerebrospinal fluid reflects early central nervous system involvement in children with acute lymphoblastic leukemia

Survival and characteristics of murine leukaemic and normal stem cells after hyperthermia: a murine model for human bone marrow purging

Chemosensitivity testing of fresh human leukemia cells using both a dye exclusion assay and a tetrazolium dye (MTT) assay

Inhibition of TPA-induced monocytic differentiation in THP-1 human monocytic leukemic cells by staurosporine, a potent protein kinase C inhibitor

Saturation of intracellular cytosine arabinoside triphosphate accumulation in human leukemic blast cells

Synergistic interactions allow colony formation *in vitro* by murine haemopoietic stem cells

#### Book Review

*Lymphocytes in Immunotherapy of Cancer* edited by P. Klodowsky, U. Klodowsky, L. Beck and K. H. Vosteen

407 D. C. Roy, M. Felix, W. G. Cannady, S. Cannistra and J. Ritz

417 M. Danova, M. Giordano, G. Mazzini and A. Riccardi

423 H. Ohnishi, H. Kamano, T. Tanaka, A. Okabe and S. Irino

433 S. T. Traweek, J. Ben-Ezra, R. M. Braziel and C. D. Winberg

441 T. W. Butler, C. E. Grossi, A. Canessa, V. Pistoia and J. C. Barton

449 M. Koskineemi, J. Rajantie, J. Rautonen, M.-L. Laipio, E.-M. Salonen, M. A. Siimes and A. Vaheri

453 J. Gidáli, S. Szamosvölgyi, I. Fehér and P. Kovács

459 D. L. Kirkpatrick, M. Duke and T. Suan Goh

467 N. Barendsen, M. Mueller and B. Chen

475 G. P. Jamieson, M. B. Snook and J. S. Wiley

481 S. A. Lorimore, I. B. Pragnell, L. Eckmann and E. G. Wright

491 A. K. Palucka

493 Announcements

## Number 6

#### Open Forum

Models of haemopoiesis

#### Review

Induced differentiation of K562 leukemia cells: a model for studies of gene expression in early megakaryoblasts

A subset of acute nonlymphocytic leukemia with expression of surface antigen CD7—morphologic, cytochemical, immunocytochemical and T cell receptor gene analysis on 13 patients

The effects of  $\alpha$  interferon on human long-term bone marrow culture

Effects of various cytokines on proliferation of acute lymphoblastic leukemia cells

Isochromosome 11q in a case of acute myelomonocytic leukemia FAB type M<sub>4</sub>

A coordinated proto-oncogene expression characterizes MCF 247 murine leukemia virus-induced T-cell lymphomas irrespective of proviral insertion affecting myc loci

495 G. Brown, C. M. Bunce and J. M. Lord

501 R. Alitalo

515 Hwei-Fang Tien, Chiu-Hwa Wang, Ih-Jen Su, Fang-Show Liu, Hui-Su Wu, Yao-Chang Chen, Kai-Hsin Lin, Sheng-Chung Lee and Ming-Ching Shen

525 D. W. Galvani and J. C. Cawley

533 M. Masuda, S. Hoshino, T. Motoji, K. Oshimi and H. Mizoguchi

545 Yong-quan Xue, Yu Go, Da-ru Lu and Bao-jue Lin

549 M. Boiocchi, R. Dolcetti, R. Maestro, G. Feriotto, S. Rizzo, V. De Re and F. Sonego



Usefulness of neutral red uptake method for investigation of the effects of recombinant hemopoietic growth factors on leukemic blasts proliferation

Mechanisms involved in the development of adriamycin resistance in human leukemic cells

Identification of interleukin 6 as a synergistic factor for the differentiation-inducing effect of TNF on leukemic ML-1 cells

Functional analysis of clonally expanded CD8, TCR $\gamma\delta$  T cells in a patient with chronic T-gamma lymphoproliferative disease

559 M. Misago, S. Chiba, M. Kikuchi, J. Tsukada, T. Sato, S. Oda and S. Eto

567 S. Kato, H. Ideguchi, K. Muta, J. Nishimura and H. Nawata

575 B. Samal, G. Stearns, C. Crandall, T. Arakawa and T. Boone

581 K. Morikawa, F. Oseko, J. Hara, S. Kobayashi, A. Nakano and S. Morikawa

593 Announcement

## Number 7

Reduction of leukemia cell growth in a patient with acute promyelocytic leukemia treated by retinol palmitate

Phenotypic analysis of T-cell acute lymphoblastic leukemia in Egypt

Differentiation induction of HL60 cells in a long term bone marrow culture of acute myeloid leukemia

B-cell lymphoma of the mucosa-associated lymphatic tissue (MALT) presenting with bone marrow and peripheral blood involvement

Transfection of a T-cell line with neo increases dexamethasone cytotoxicity

Recombinant interferon-alpha-2C in chronic myelogenous leukaemia: relationship of sensitivity of committed haematopoietic precursor cells *in vitro* (BFU-E, CFU-GM, CFU-Meg) and clinical response

A monoclonal antibody that inhibits the action of GM-CSF on normal but not leukaemic progenitors

Expression of retinoic acid receptor mRNA in hematopoietic cells

$\gamma$ IFN receptor expression in haemic malignancies

Collagenase-like activity associated to the leukemic WEHI-3B cell line

Immunophenotypic and age patterns of childhood acute lymphoblastic leukemia in Saudi Arabia

595 H. Tsutani, H. Iwasaki, Y. Kawai, T. Tanaka, T. Ueda, M. Uchida and T. Nakamura

601 A. M. Kamel, F. M. Ghaleb, M. M. Assem, D. S. Hindawy, E. S. Jaffe and I. T. Magrath

611 G. J. Ossenkoppele, I. Denkers, P. Wijermans, P. C. Huijgens, J. J. P. Nauta, R. J. H. Beelen and M. M. A. C. Langenhuijsen

617 H. Griesser, U. Kaiser, W. Augener, M. Tiemann and K. Lennert

623 F. de Cuevillas and H. Lachman

629 D. Geissler, G. Gastl, W. Aulitzky, H. Tilg, S. Gaggli, G. Konwalinka and C. Huber

637 L. K. Ashman, A. C. Cambareri and J. M. Eglinton

645 M. Kizaki, H. P. Koefler, Chi-Wei Lin and C. W. Miller

657 R. B. Watson, D. W. Galvani, J. R. Nash and J. C. Cawley

661 M. Fernández, J. Martínez and J. J. Minguell

667 G. T. Roberts, R. J. A. Aur and K. V. Sheth

## Number 8

### Special Issue: Growth and Differentiating Factors in Hematology

Introduction

Pathophysiology of cytokines

Growth of normal and malignant bone marrow cells

Erythropoietin

Autocrine growth of leukemic cells

The role of growth-factor receptors (excluding IL-2 receptors) in the proliferation and differentiation of normal and leukemic hematopoietic cells

Interleukin 2 receptors

673 P. Reizenstein

675 W. H. Fridman and J. Michon

679 P. Reizenstein

683 A. J. Erslev

689 C. Jasmin, V. Georgoulas, F. Smadja-Joffe, C. Boucheix, C. Le Bousse-Kerdiles, M. Allouche, C. Cibert and B. Azzarone

695 C. Jasmin, M. Allouche, C. Le Bousse-Kerdiles, F. Smadja-Joffe, P. Krief, V. Georgoulas and C. Boucheix

699 M. Allouche, Y. Sahraoui, Y. Augery-Bourget, M. Perrakis, C. Jasmin and V. Georgoulas

Growth and differentiation factors for B and T cells  
 Cytokine and non-cytokine differentiating agents for myeloid leukemic cells  
 Tumor associated myelopoiesis inhibiting factors  
 Differentiating agents in the treatment of leukemia  
 The role of haemopoietic growth factors in bone marrow transplantation  
 Differentiating agents in the treatment of leukemia and myelodysplastic syndromes

705 M. Hansson  
 711 I. Olsson, U. Gullberg and M. Lantz  
 715 I. Olsson and T. Olofsson  
 717 L. Degos  
 721 A. H. Goldstone and A. Khwaja  
 731 L. Degos

## Number 9

Overexpression of the MPO gene occurring in a case of APL without unusual genotypic characteristics

GM-CSF incubation prior to treatment with cytarabine or doxorubicin enhances drug activity against AML cells *in vitro*: a model for leukemia chemotherapy

Induction of cytidine deaminase in HL-60 myeloid leukemic cells by 5-aza-2'-deoxycytidine

Comparison of antineoplastic activity of cytosine arabinoside and 5-aza-2'-deoxycytidine against human leukemic cells of different phenotype

Biochemical characterisation studies on a leukocyte alloantigen expressed with high frequency in leukaemia patients

A study of multidrug resistance and cell kinetics in a child with near-haploid acute lymphoblastic leukemia

Response to intermediate and standard doses of IFN- $\beta$  in hairy-cell leukaemia

Difference in effects of interferon- $\alpha$  and interferon- $\gamma$  on the induction of differentiation of retinoic acid-treated acute myeloid leukemia cells in primary culture

The monitoring of acute leukemia patients: Part 1. Basic morphometric characteristics of bone marrow blast cells in acute lymphoblastic leukemia

Lineage non-specific down regulation of P210<sup>bcr/abl</sup> in the CML cell line, KU-812-F, during differentiation

B8.7 antigen expression on B-CLL cells and its relationship to the LMW-BCGF responsiveness

Repression of nuclear lamin A and C gene expression in human acute lymphoblastic leukemia and non-Hodgkin's lymphoma cells

### Letter to the Editors

Neutrophil functions in chronic myeloid leukemia

735 S. Ferrari, E. Tagliafico, P. Temperani, R. Manfredini, G. Ceccherelli, P. Zucchini, A. Tabilio, A. Donelli, G. Torelli, G. Emilia and U. Torelli  
 743 A. Butturini, M. A. Santucci, R. P. Gale, P. Perocco and S. Tura  
 751 R. L. Momparler and J. Laliberté  
 755 R. L. Momparler, N. Onetto-Pothier and L. F. Momparler  
 761 R. M. Weedle and T. G. Cotter  
 771 A. Redner, S. Hegewisch, J. Haimi, P. Steinherz, S. Jhanwar and M. Andreeff  
 779 A. M. Liberati, M. Fizzotti, F. Di Clemente, M. Senatore, P. Berruto, B. Falini, M. F. Martelli and F. Grignani  
 785 T. Nakamaki, A. Sakashita, K.-I. Hino, K. Suzuki, S. Tomoyasu, N. Tsuruoka, Y. Honma and M. Hozumi  
 795 V. M. Pogorelov, E. N. Timkina, G. Mattes, R. Ile, G. Yu. Miterev, M. S. Novikova, V. G. Isaev and G. I. Kozinetz  
 801 H. Takahira, J. Nishimura, K. Shibata, J. Hirata, T. Umemura and H. Nawata  
 809 S. Karay, C. Leprince, H. Merle-Beral, P. Debre, Y. Richard and P. Galanaud  
 815 B. Stadelmann, E. Khandjian, A. Hirt, A. Lüthy, R. Weil and H. P. Wagner  
 823 G. Carulli, A. Azzarà, F. Papineschi, A. Rizzuti, B. Grassi and F. Ambrogio

## Number 10

### Editorial

Is remission in acute myelogenous leukemia re-establishing preleukemia?

Effects of the antisense *v-myb*' expression on K562 human leukemia cell proliferation and differentiation

Antiviral effect of zidovudine in the experimental model of adult T cell leukemia in rabbits

825 R. P. Gale and I. Ben-Bassat  
 831 H. Kamano, H. Ohnishi, T. Tanaka, K. Ikeda, A. Okabe and S. Irino  
 841 T. Isono, K. Ogawa and A. Seto

Immunophenotype of blast cells in acute myelofibrosis

Quantitative variations in A, B, Ht<sub>1</sub> and Ht<sub>2</sub> antigens on erythrocytes in leukemia and lymphoma

Control of actin conformation in AML myeloblasts: the effects of bryostatin and TPA

Genuine CD7 expression in acute leukemia and lymphoblastic lymphoma

Lithium enhances the proliferation of HL-60 promyelocytic leukemia cells

Acute T-lymphocytic leukemia with Ph<sup>1</sup> and 5q-chromosome abnormalities and rearrangements of *bcr* and *TCR- $\delta$*  genes

Therapy of acute myelogenous leukemia in patients over the age of 50: a randomized southeastern cancer study group trial

DNA-flow cytometry studies in blood and marrow cells from chronic myelogenous leukemia patients treated with interferon alpha-2b

Potential of glucocorticoid-induced cytolysis in sensitive human leukemic cells by an inhibitor of ADP-ribosylation

Expression of human myeloid cell nuclear differentiation antigen (MNDa) in acute leukemias

Flow cytometric studies on actin polymerization in PMN cells from chronic myeloid leukemia (CML) patients

Elevated argininosuccinate synthetase activity in adult T leukemia cell lines

849 F. Ortuño, J. Soler, R. Vilella, R. Bordes, C. Guanyabens, E. Rubiol and N. Pujol-Moix

857 A. Dumasia, S. Gupte, A. Dasgupta and S. Advani

863 R. L. Sham, C. H. Packman, C. N. Abboud and M. A. Lichtman

869 H. Osada, N. Erni, R. Ueda, M. Seto, K. Koike, T. Suchi, S. Kojima, Y. Obata and T. Takahashi

879 R. W. Becker and E. M. Tyobeka

885 M. Takechi, A. Ohnishi, K. Tanaka, N. Kimura and N. Kamada

895 R. S. Stein, W. R. Vogler, E. F. Winton, H. J. Cohen, M. R. Raney and A. Bartolucci

905 U. B. Wandl, D. May, T. Peltzer, O. Kloke, B. Opalka, N. Niederle and C. Streffer

909 A. S. Meyer, J. A. Schlechte and T. J. Schmidt

915 J. B. Cousar and R. C. Briggs

921 N. R. Naik, A. N. Bhisey and S. H. Advani

931 K. Sugimura, T. Kimura, H. Arakawa, T. Ohno, Y. Wada, Y. Kimura, T. Saheki and I. Azuma

935 Announcements

## Number 11/12

### Open Forum

Etiology of childhood leukemia: a possible alternative to the Greaves hypothesis

A regulatory role for tumor necrosis factor (TNF) in ML-1 human myeloblastic leukemia cell maturation

Oestrogen receptor (ER) analysis in B-cell chronic lymphocytic leukemia: correlation of biochemical and immunocytochemical methods

High affinity IL-2 receptors on a Hodgkin's derived cell line

*Fusarium* infections in patients with hematologic malignancies

Recombinant interleukin 2 for acute myeloid leukaemia in first complete remission: a pilot study

Application of flow cytochemistry to the evaluation of HL-60 differentiation

Lineage directed HL-60 cell sublines as a model system for the study of early events in lineage determination of myeloid cells

Competition among leukemic cells

Early protooncogene expression during hemin-induced differentiation of human erythroleukemic cells

937 A. Stewart

941 Y. Fujii, T. Takuma and A. Bloch

949 N. Melo, C. Hobday, M. Dowsett, D. Catovsky, E. Matutes, R. Morilla and A. Polliack

953 H. Tesch, T. Herrmann, H. Abts, T. Diamantstein and V. Diehl

961 F. R. G. Schneller, S. C. Gulati, I. B. Cunningham, R. J. O'Reilly, H. J. Schmitt and B. D. Clarkson

967 D. Macdonald, Yinzheng Jiang, A. A. Gordon, P. Mahendra, R. Oskam, P. A. Palmer, C. R. Franks and A. J. Barrett

975 C. Wium, A. N. Davidoff and B. V. Mendelow

979 S. A. Fischkoff and R. M. Rossi

989 E. Aflalo and Y. Weinstein

997 M. O. Griffin, J. C. Nelson and N. G. Abraham

Phorbol myristate acetate treatment of normal human myeloid blast cells promotes monopoiesis and inhibits granulopoiesis

The combined effects of IL-3, GM-CSF and G-CSF on the *in vitro* growth of myelodysplastic myeloid progenitor cells

Gamma interferon augments functional and phenotypic characteristics of vitamin D<sub>3</sub>-induced monocytoid differentiation in the U937 human leukaemic cell line

Partial trisomy 1q in idiopathic myelofibrosis

Expression of p53 in human leukemic cell lines

*De novo* myelodysplastic syndromes in adults aged 50 or less. A report on 37 cases

Biochemical basis of the prevention of 6-thiopurine toxicity by the nucleobases, hypoxanthine and adenine

# **Letters to the Editors**

Successful treatment of myelodysplastic syndrome with 1- $\beta$ -D-arabinofuranosylcytosine 5'-stearylphosphate

Dysplastic features of peripheral blood polymorphs in myelodysplastic syndrome in children

Poorly expressed CD2 antigen on the leukemic cells of adult T-cell leukemia implicate more aggressive clinical course?

# **Book Review**

Leukaemia and Lymphoma—an Atlas of Distribution within Areas of England and Wales, 1984–1988

- 1007 C. M. Bunce, W. N. Patton, J. D. Pound, J. M. Lord and G. Brown
- 1019 M. R. Schipperus, P. Sonneveld, J. Lindemans, N. Vink, M. Vlastuin, A. Hagemeyer and J. Abels
- 1027 S. M. Kelsey, H. L. J. Makin, M. G. Macey and A. C. Newland
- 1035 E. Donti, A. Tabilio, F. Bocchini, F. Falzetti, M. F. Martelli, F. Grignani and G. Venti Donti
- 1041 S. Kraiss, R. Espig, U. Vetter, W. Hartmann and M. Montenarh
- 1053 P. Fenaux, C. Preudhomme, M. H. Estienne, P. Morel, J. L. Lai, C. Gardin, J. P. Jouet and F. Bauters
- 1061 H. Hashimoto, M. Kubota, T. Shimizu, T. Takimoto, T. Kitoh, Y. Akiyama and H. Mikawa
- 1067 T. Ueda, S. Imamura, Y. Kawai, Y. Wano, K.-I. Kamiya, H. Tsutani and T. Nakamura
- 1069 A. Murat Tuncer, N. Ozbek, D. Albayrak and G. Hiosonmez
- 1071 F. Kawano, A. Tsukamoto, M. Satoh, I. Sanada, T. Shido, H. Suzushima, N. Asou and K. Takatsuki

1073 T. Hamblin

1075 Announcements

i Volume 14 Title Section, Contents and Author Index



